## AHL-1-3,2 Abstandhalter




## Merkmale


- einseitig Rastverriegelung
- einseitig zur Durchsteckmontage (fast bündiger Abschluss)
- für Leiterplattenstärke 1,5 mm, Loch-Ø = 3,2 mm
- für Gehäusestärke 1,0 mm, Loch-Ø = 5,0 mm
- Material: Polyamid 6.6, UL94HB
- temperaturbeständig bis ca. + 110°C
- Farbe: schwarz

## Abmessungen

► Einheit = mm



Art -Nr



A (mm)

ArtNr.	<b>A</b> (mm)
100 71 03,2	3,2
100 71 04	4,0
100 71 05	5,0
100 71 06	6,0
100 71 07	7,0
100 71 08	8,0
100 71 09	9,0
100 71 10	10,0
100 71 11	11,0
100 71 12	12,0
100 71 13	13,0
100 71 14	14,0
100 71 15	15,0
100 71 16	16,0
100 71 17	17,0
100 71 18	18,0
100 71 19	19,0

ArtNr.	A (mm)
100 71 20	20,0
100 71 21	21,0
100 71 22	22,0
100 71 23	23,0
100 71 24	24,0
100 71 25	25,0
100 71 26	26,0
100 71 27	27,0
100 71 28	28,0
100 71 29	29,0
100 71 30	30,0
100 71 31	31,0
100 71 32	32,0
100 71 33	33,0
100 71 34	34,0
100 71 35	35,0
100 71 36	36,0

Weitere Abmessungen und Größen auf Anfrage, Tel.: 09852 61079-0

